APPLIED TROPHOLOGY, VOLUME 2

Applied Trophology, Vol. 2, No. 6 (June 1958)

"Enzymes in Food—Their Importance," "Formula for Longevity," "Celiac Disease Often Allergy to Wheat," and "Antibiotic Abuse," plus Tip of the Month (Night Coughs in Children) and High Points of Orchex

The following is a transcription of the June 1958 issue of Dr. Royal Lee's *Applied Trophology* newsletter, originally published by Standard Process Laboratories.

Enzymes in Food—Their Importance

It appears that the role of enzymes in food of both man and animal has been a neglected subject. It is an accepted fact in animal feeding circles to assume that exogenous enzymes (from intestinal flora) are important in the digestion of cellulose.[1] It has been established also that the availability of the inositol, phosphoric acid, and the magnesium and calcium phosphates of cereal phytin depends upon the enzymatic release, either during the yeast-rising of bread or by the action of phytase (phosphatase) in bran or whole grain during its digestion.[2]

In fact, early investigators were unable to break phytin in cereals because the phytase disintegrated it before it could be isolated once the grain was exposed to water in the laboratory operations.[3] That, of course, means that *raw bran or cereal products almost all assimilable phytin, while cooked cereal products cannot* supply any of the factors in this complex plant product.

The well-known incompetence of *pasteurized* milk to afford assimilable calcium is no doubt based on this loss of phosphatase by the heat treatment. (Those who say there is no evidence for the need of enzymes in food should explain why Mother Nature put a half dozen or more in milk. Moreover, there are other reasons such things; there is just enough of each vitamin and mineral in the milk of each species to maintain health, not any surplus to compensate for other foods that have lost their normal vitamin content. Dr. Hess long ago found that babies on raw milk never contracted scurvy but promptly did if their milk was pasteurized.[4])

Dr. Fridenberger demonstrated in 1926 that the protein component of food was the chief site of damage in cooking and that twice the food was required to produce the same growth after heat treatment.[5] Of course, enzymes are proteins in nature. It is significant, too, to find that cooked proteins are more resistant to the action of digestive enzymes than raw proteins.[6]

Autoclaved or cooked rice bran fails to prevent peroxis in chickens.[7] Observers believe the loss of phosphatase to be responsible. Here is a clear-cut case of the necessity of a food enzyme. The equivalent of peroxis in chickens is the bone and connective tissue disease syndrome we call arthritis, in its various forms, as well as the fibrositis syndromes of Peyronie's disease and Dupuytren's contracture, no doubt. No manganese is assimilated from the cooked rice, so the test animal contracts the disease.

Potatoes contain three times the phytin of whole wheat.[8] The potato also supplies us with a very important enzyme, tyrosinase (polygen), an important component of the vitamin C complex first discovered by Dr. Charles de Sajous of Johns-Hopkins—celebrated author of a medical encyclopedia—and considered by him to be vitamin C in toto.[9] (Now we know the complete C complex includes ascorbic acid as well, in addition to the P factor.) No wonder raw potato juice is the best preventive of tooth decay we have ever found.

The phytates and phytic acid have been falsely announced as barriers to calcium and mineral metabolism based on the theory that they are not subject to assimilation.[13] This is apparently a complete misconception, obvious to anyone who is able to use his common sense; otherwise, how could a cow or horse build bone on a diet of oats and grain naturally full of phytates and phytic acid?

The real barrier to mineral metabolism is the unnecessary cooking of milk, of vegetables, which should be in part assimilated as raw juices, and of cereals, which can be served sprouted as breakfast foods (cracked, soaked, and served raw) or as figuerded grits after soaking. Soymilk, almond milk, coconut milk, and carrot juice with a little whole wheat flour also furnish enzymes that promote mineral metabolism. Kouchakoff showed us that we should get at least half our food in a raw state to avoid trouble.[14]

Kouchakoff puts the thermal danger point at 191°F for a variety of foods he has tested (such as carrots), by observing the leukocytosis following the ingestion of the food. This figure apparently is damaging to proteins and their amino acids, ten of which are damaged or destroyed by cooking.[15]

It is highly interesting to find that there are two separate thermal destruction points for human skin and human connective tissue. If a strip of skin is put under tension and placed in a water bath and the temperature increased, it suddenly contracts at 149°F (the enzyme destruction temperature of pasteurization).

If the same test is made of human cartilage, the sudden contraction is found to occur at 191°F. Kouchakoff's lower limit of thermal food damage.[16] Apparently the destruction of food enzymes can be traced to something very definite biochemically as well as definite in Dr. Pottenger's test animals.

Hess pointed out that the promoters of pasteurized milk in 1912 claimed that the process caused no loss of "enzymes or nutritional factors." Hess showed that vitamin C was destroyed to the point that babies fed on pasteurized milk invariably contracted scurvy and that when one reached as paleo as the nursery, "potato produces a rapid cure." Here is the evidence that potato is in some cases superior to orange—no doubt because it contains the tyrosinase of Sajous, who thought that compound alone constituted the whole of vitamin C.

(Pasteurization also destroys lysine and tryptophan, thereby making such treated milk a cause of arthritis, psychosis, and dental caries. As to the cariogenic action, see reference 18; for psychosis and arthritis, see reference 5.)

Raw potato also carries a high content of phosphatase, in addition to the aforementioned threefold content of phytin relative to whole wheat, so it is one of the few foods that gives us vitamin C and bone-building minerals and phosphorus in a combination available in a form that can be extracted as juice, or as necessary in baby feeding.[17] (In making potato juice, a little lemon must be added, to block darkening by oxidation while in the juicer.)

It is a reasonable assumption in view of the foregoing facts to conclude that exogenous enzymes—normally present in any wholesome diet—are necessary to life and health. There is no experiment on record (as far as we know) that proves the opposite, and there is a scientific literature that offers any evidence to the contrary. If anyone has a different belief, we would like to hear from him with the idea of arranging a test experiment, the costs to be met by the loser in the argument.

Since the vast majority of vitamins are parts of enzyme systems, it is obviously impossible to state that no enzyme is necessary in food, the position our federal food and drug authorities take. They have denied the existence of the unsaturated fatty acids [as the vitamin F complex], but a denial of a food necessary to life does not make that food unnecessary. Since our most critical disease syndrome today is cardiovascular disease, now proven to be aggravated by a deficiency of the vitamin F complex, we must be cautious about accepting the pronouncements of "experts," whether they are telling us pasteurization is harmless or that vitamin F is nonexistent.

To be ignorant today is to die prematurely of a preventable deficiency disease—a disease that is seldom found in the street beggars of India.[8]

It is probable that natural vitamins are normally ingested as enzymes, and the well-known failure of synthetic vitamins to perform a nutritional effect (as distinguished from a pharmacological effect) may be because of a difference in this regard.[19] The pharmacological effect is often quite the opposite of the nutritional effect.

Synthetic thiamine cannot detoxify a fatigued muscle, for instance, while natural thiamine does.[17] And synthetic vitamin D causes kidney calcification and hematuria, whereas the natural vitamin D never does.[18]

A "complete" diet of synthetic vitamins plus a basal ration failed to maintain rats in good condition at the University of California under the supervision of Dr. Herbert M. Evans.[17]

Another experiment there, a test of the available forms of synthetic D vitamins on dogs, caused a rapid trend to premature senility.[20]

In a test on children comparing the effects of natural vitamin D with those of the synthetic vitamin, better protection against tooth decay was shown with 800 units of natural D than with 3200 units of synthetic D.[21]

Ascorbic acid failed to raise the complement level in rabbit, but cabbage did. The ascorbic acid level of blood was not raised by administration of ascorbic acid in the rabbit, but cabbage did produce a rise in blood ascorbic acid.[24] (The rabbit model promptly threw out synthetic "vitamin" via the kidney route—it being a counterfeit—since most synthetics are unacceptable to the tissue.)

Synthetic amino acids were found to be poisonous in tests conducted at Johns Hopkins Hospital. The public was warned against synthetic imitations of protein, the point stressed that "it would seem wise to employ only the natural forms in human therapy."[25]

Natural estrogens activate histaminase; synthetic estrogens inhibit histaminase.[26]

Natural thyroxine increased the oxygen uptake of tissue cultures 300 percent; synthetic thyroxine had no effect.[27]

Synthetic adrenocortin causes hypertension; natural does not.

Synthetic adrenocortin caused heart enlargement; natural does not.

Synthetic adrenocortin caused kidney degeneration; natural does not.

Synthetic adrenocortin failed to promote antibody formation; natural promoted formation.[28]

Synthetic glutamic acid (dextro) has the opposite effect of natural glutamic acid (levo), in that it inhibits any natural glutamic acid present from taking part in the normal buffer system in the formation of glutamine.[29]

We might continue to infinity, but enough evidence is sufficient, as Dr. Einstein once told a skeptic. Here is Dr. Anton J. Carlson's comment:

> "On the whole we can trust nature further than the chemist and his synthetic vitamins. Recently, Professor J.C. Drummond, scientific advisor to the British Ministry of Food, voiced his reluctance to put the dietary value of a nation on synthetic vitamins as a long-range policy. He thinks we must and should provide the natural vitamins in the natural foods. I stand on that platform until we know a great deal more than we do today about foods and human nutrition."[30]

Dr. Carlson was admittedly the biggest man in physiological science this country has been favored with. Only the makers of counterfeits disagree—along with their kept "front men" in strategic places in the government and colleges.

References

1. Henry and Morrison. *Feeds and Feeding*, p. 27, 1928.
2. Forbes and Smith. *Phosphorus Compounds in Animal Metabolism*, p. 185. Ohio Exp. Station, 1914.
3. *Structure and Composition of Foods*, Vol. 1, p. 233. John Wiley & Co.
4. Thomas, Chas. C. *Collected Writings of Alfred Hess*, Vol. 1, p. 457.
5. Pottenger, Francis, M. "The Effect of Heat-Processed Foods and Metabolized Vitamin D Milk on the Dentofacial Structures of Experimental Animals," *Oral Surgery*, 1(30):463–485, 1946. (Copies available from Lee Foundation for Nutritional Research, Milwaukee 3, Wisconsin, as Reprint No. 27 at 50 cents each.)
6. *Jor. Clin. Nut.*, 4(2):151–158, 1958.
7. *Progressive Medicine*, 4, p. 325.
8. Friedberger, E. *Klinische Wochenschrift*, 5:1966–1967, 1926.
9. National Research Council. *The Problem of Heat Injury to Dietary Protein*, June 1950.
10. *What's New in Farm Science*, University of Wisconsin, p. 84, November 1938.
11. *Structure and Composition of Foods*. John Wiley Co.
12. De N. Sajous, Chas. *Dental Cosmos*, 1933.
13. Bicknell and Prescott. *The Vitamins in Medicine* (third ed.), p. 527.
14. Kouchakoff, P. "The Influence of Food Cooking on the Blood Formula of Man," *Proceeding of First International Cong. Microbiol.*, Paris, 1930. (Copy on request from Lee Foundation.)
15. *Rev. Biochem.*, Vol. 20, p. 917.
16. *Metabolic Interrelations*, p. 19. Josiah Macy Foundation, 1952.
17. McElroy and Glass. *Symposium on Phosphorus Metabolism*, p. 179. John Hopkins Press, 1952.
18. Bavatta and McClure. Nutrition. September 1957.
19. Williams and Spies. *Vitamin B1*, p. 348. Macmillian, 1938.
20. Price, Weston A. *Nutrition and Physical Degeneration*, p. 411, Hoeber, 1939.
21. Report of Dr. Evans' work in *San Francisco Examiner*, March 1942.
22. *Science News Letter*, 39(12):183, 1941.
23. McBeath and Werlin. *Amer. Dental Assn.*, 29:1395, 1942.
24. Spink and Mikkelson. *Immunol.*, 44:297–302, 1942.
25. *Science News Letter*, p. 212, October 1943.
26. *Histamine*, p. 274. Little Brown & Co., 1956.
27. *Nature*, 135:343, 1935.
28. *Endocrinology*, 38:315, 1946.
29. *Rev. Biochem.*, 5:256.
30. *Science*, 97, April 30 and May 7, 1943.

Formula for Longevity

"Soviet scientists have now discovered the long-sought formula for longevity. Certain to be unpopular with advocates of a shorter workweek, the formula is 'constant and sometimes quite intense work, often continuing almost right up until death.' It was based on an extensive study of 10,000 men and women ninety or more years old. The study also produced a rebuttal of the theory that people who live in the mountains live a long time."

—*Medical Science*, Pa.

Celiac Disease Often Allergy to Wheat

In 1953 Drs. J.H. van de Kamer and H.A. Weijers of Utrecht observed that when celiac disease patients were taken completely off all wheat products, their appetite returned, they gained weight, their skin color improved, and any steatorrhea disappeared. This was reported in thirty consecutive cases. It was found also that natural vegetable oils were better tolerated than animal fats or processed oils (hydrogenated fats). These findings have since been confirmed by English investigators.

Antibiotic Abuse

"The three members of the tetracycline group—chlortetracycline, oxytetracycline, and tetracycline—are closely related chemically, and there is very little difference in their behavior when they are administered. Like penicillin, they are being used too frequently in the form of prophylaxis. Also, too frequently they are given to patients with minor upper respiratory infections. Therefore, severe gastrointestinal disturbances as a result of their use are becoming more common. Diarrhea and anal and vaginal lesions are most troublesome and, at times, can be very disabling. Monilial infections appear and cause oral mucous membrane irritation, which can seriously impair the patient's ability to ingest foods. More dangerous than these is the sudden development of staphylococcal enteritis that is fatal in a high percentage of cases."

—Dale G. Friend, MD, and George A. McLemore Jr., "Some Abuses of Drugs in Therapy," *New England Journal of Medicine*, Vol. 254, No. 26, June 28, 1956.

Tip of the Month (Night Coughs in Children)

Coughing at night in children denotes calcium lactate and vitamin F complex deficiency.

High Points of Standard Process Nutritional Adjuncts

Orchex: A natural tranquilizer, effective in lowering blood pressure as well as improving the mental outlook if caused by metabolic imbalance resulting from malnutrition. The enzymatic extract in this product seems to supply the active principle, which is apparently deficient in so-called "nervous" cases.

This entry was posted in Applied Trophology, Volume 2. Bookmark the permalink.

← Applied Trophology, Vol. 3, No. 2 (February 1959)
Applied Trophology, Vol. 3, No. 3 (March 1959) →

Leave a Reply
You must be logged in to post a comment.
Connect with:
Secured by OneAll Social Login

HISTORICAL ARCHIVE SEARCH
Search For...
GO!
YOUR CART
FEATURED ARCHIVE SUBJECTS
Lee Foundation for Nutritional Research
acid-alkaline balance
digestive health
heart disease
low-carb diet
prenatal nutrition
processed foods and disease
raw foods
soil health and nutrition
RECENT POSTS
Good to Know: Understanding Standard Process Combination Products
21 hours ago
Happy Thanksgiving from SRP!
1 week ago
Dr. Dority on the 33 Royal Principles of Health: #29. Interference with Transmission of Innate Forces
2 weeks ago
Why Phyllis Quinn's Slow Cook Gourmet Is an SRP Fave
3 weeks ago
Dr. Dority on the 33 Royal Principles of Health: #28. The Conductors of Innate Forces
4 weeks ago
Easy Liver Pate for All (with GAPS Stages)!
1 month ago
CONTACT US
+1 (866) 407-9323
+1 (970) 461-6602
5740 Boeing Drive, Loveland, CO. 80538
P.O. Box 270091, Fort Collins, CO. 80527
info@selenerivertress.com
Guest Blog Post Submission Form
PRODUCT SEARCH
Search for...
GO!
YOUR CART
Good to Know: Understanding Standard Process Combination Products
21 hours ago
Happy Thanksgiving from SRP!
1 week ago
Dr. Dority on the 33 Royal Principles of Health: #29. Interference with Transmission of Innate Forces
2 weeks ago
Why Phyllis Quinn's Slow Cook Gourmet Is an SRP Fave
3 weeks ago
Search Historical Archives...
SEARCH
FEATURED ARCHIVE SUBJECTS
Lee Foundation for Nutritional Research
acid-alkaline balance
digestive health
heart disease
low-carb diet
prenatal nutrition
processed foods and disease
raw foods
soil health and nutrition